

**Plant Species List**  
**Eight Dollar Mt. Vicinity**

Nomenclature mostly follows OR Atlas Project.

Sensitive species in bold.

\* Alien / non-native

|  | Scientific Name  | Common name                  | Family           | Habitat |
|--|--|------------------------------|------------------|---------|
| <b>Ferns<br/>&amp; Allies</b>                  | <i>Aspidotis densa</i>                                   | Indian's dream               | Pteridaceae      |         |
|  | <i>Cystopteris fragilis</i>                              | brittle bladderfern          | Dryopteridaceae  |         |
|  | <i>Funaria hygrometrica</i>                              | cord moss                    | Funariaceae      |         |
|  | <i>Isoetes howellii</i>                                  | Howell's quillwort           | Isotaceae        |         |
|  | <i>Pentagramma triangularis</i> ssp. <i>triangularis</i> | gold back fern               | Pteridaceae      |         |
|  | <i>Polypodium glycyrrhiza</i>                            | licorice fern                | Polypodiaceae    |         |
|  | <i>Polystichum imbricans</i> ssp. <i>imbricans</i>       | narrowleaf swordfern         | Dryopteridaceae  |         |
|  | <i>Polystichum munitum</i>                               | western swordfern            | Dryopteridaceae  |         |
|  | <i>Pteridium aquilinum</i>                               | western brackenfern          | Dennstaedtiaceae |         |
| <b>Forbs</b>                                   | <i>Achillea millefolium</i>                              | common yarrow                | Asteraceae       |         |
|  | <i>Agoseris</i> sp.                                      | agoseris                     | Asteraceae       |         |
|  | <i>Allium amplexans</i>                                  | narrowleaf onion             | Liliaceae        |         |
|  | <i>Allium bolanderi</i> var. <i>miaribile</i>            | Bolander's potato bulb onion | Liliaceae        |         |
|  | <i>Allium falcifolium</i>                                | sickle leaved onion          | Liliaceae        |         |
|  | <i>Angelica arguta</i>                                   | Lyall's angelica             | Apiaceae         |         |
|  | <i>Anisocarpus (Madia) madioides</i>                     | woodland tarweed             | Asteraceae       |         |
|  | <i>Aphanes arvensis</i>                                  | field parsley piert          | Rosaceae         |         |
|  | <i>Apocynum androsaemifolium</i>                         | spreading dogbane            | Apocynaceae      |         |
|  | <i>Arabis aculeolata</i>                                 | Waldo rockcross              | Brassicaceae     |         |
|  | <i>Arabis koehleri</i> var. <i>stipitata</i>             | Koehler's rockcross          | Brassicaceae     |         |
|  | <i>Arabis oregana</i>                                    | Oregon rockcross             | Brassicaceae     |         |
|  | <i>Arabis subpinnatifida</i>                             | Klamath rockcross            | Brassicaceae     |         |
|  | <i>Arnica cernua</i>                                     | serpentine arnica            | Asteraceae       |         |
|  | <i>Arnica spathulata</i>                                 | Klamath arnica               | Asteraceae       |         |
|  | <i>Asclepias speciosa</i>                                | showy milkweed               | Asclepiadaceae   |         |
|  | <i>Aster occidentalis</i>                                | western aster                | Asteraceae       |         |
|  | <i>Balsamorhiza careyana</i>                             | Carey's balsamroot           | Asteraceae       |         |
|  | <i>Balsamorhiza deltoidea</i>                            | deltoid balsamroot           | Asteraceae       |         |
|  | <i>Balsamorhiza deltoidea</i> x <i>sericea</i>           | hybrid balsamroot            | Asteraceae       |         |
|  | <i>Balsamorhiza sericea</i>                              | silky balsamroot             | Asteraceae       |         |
|  | <i>Blepharipappus scaber</i>                             | rough eyelashweed            | Asteraceae       |         |
|  | * <i>Brassica nigra</i>                                  | black mustard                | Brassicaceae     |         |
|  | <i>Boschniakia strobilacea</i>                           | groundcone                   | Orobanchaceae    |         |
|  | <i>Brodiaea coronaria</i>                                | crown hyacinth               | Liliaceae        |         |
|  | <i>Brodiaea elegans</i>                                  | harvest brodiaea             | Liliaceae        |         |
|  | <i>Calandrinia ciliata</i>                               | red maids                    | Portulacaceae    |         |
|  | <b><i>Calochortus howellii</i></b>                       | Howell's mariposa lily       | Liliaceae        |         |
|  | <i>Calochortus tolmiei</i>                               | Tolmie star-tulip            | Liliaceae        |         |
|  | <i>Calochortus uniflorus</i>                             | Monterey mariposa lily       | Liliaceae        |         |
|  | <i>Calypso bulbosa</i> var. <i>occidentalis</i>          | calypso orchid               | Orchidaceae      |         |
|  | <i>Calystegia occidentalis</i> ssp. <i>occidentalis</i>  | western morning glory        | Convolvulaceae   |         |
|  | <i>Camassia leichtlinii</i> ssp. <i>suksdorfii</i>       | Leichtlin's camas            | Liliaceae        | fen/wet |
| <i>Camassia quamash</i>                        | small camas  | Liliaceae                    | fen/wet          |         |
| <i>Campanula prenanthoides</i>                 | California harebell                                      | Campanulaceae                |                  |         |
| <i>Campanula scouleri</i>                      | Scouler's harebell                                       | Campanulaceae                |                  |         |
| <i>Cardamine californica</i>                   | milk maids   | Brassicaceae                 |                  |         |
| <i>Cardamine nuttallii</i> var. <i>disecta</i> | slender toothwort  | Brassicaceae                 |                  |         |

**Plant Species List**  
**Eight Dollar Mt. Vicinity**

Sensitive species in bold.

\* Alien / non-native

| Scientific Name  | Common name               | Family           | Habitat |
|--|---------------------------|------------------|---------|
| <i>Cardamine nuttallii</i> var. <i>gemmata</i>           | serpentine toothwort      | Brassicaceae     |         |
| <i>Castilleja brevilobata</i>                            | short lobed paintbrush    | Scrophulariaceae |         |
| <i>Castilleja elata</i>                                  | Siskiyou paintbrush       | Scrophulariaceae | fen/wet |
| <i>Castilleja pruinosa</i>                               | frosted paintbrush        | Scrophulariaceae |         |
| * <i>Centaurea x pratensis</i>                           | meadow knapweed           | Asteraceae       |         |
| * <i>Centaurea solstitialis</i>                          | yellow starthistle        | Asteraceae       |         |
| <i>Cerastium arvense</i>                                 | field chickweed           | Caryophyllaceae  |         |
| <i>Cerastium glomeratum</i>                              | sticky chickweed          | Caryophyllaceae  |         |
| <i>Chaenactis douglasii</i>                              | Douglas' dustymaiden      | Asteraceae       |         |
| * <i>Cichorium intybus</i>                               | common chickort           | Asteraceae       |         |
| <i>Chimaphila menziesii</i>                              | little prince's pine      | Ericaceae        |         |
| <i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i> | soap plant                | Liliaceae        |         |
| * <i>Cirsium vulgare</i>                                 | bull thistle              | Asteraceae       |         |
| <i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i>        | small fowered godetia     | Onagraceae       |         |
| <i>Claytonia exigua</i> ssp. <i>exigua</i>               | serpentine springbeauty   | Portulacaceae    |         |
| <i>Claytonia perfoliata</i>                              | miner's lettuce           | Portulacaceae    |         |
| <i>Collinsia linearis</i>                                | narrowleaf blue eyed Mary | Scrophulariaceae |         |
| <i>Collomia graniflora</i>                               | large flowered collomia   | Polemoniaceae    |         |
| <i>Collomia heterophylla</i>                             | varied leaf collomia      | Polemoniaceae    |         |
| <i>Comandra umbellata</i> ssp. <i>californica</i>        | California comandra       | Santalaceae      |         |
| <i>Convolvulus arvensis</i> ( <i>polymorphus</i> )       | field bindweed            | Convolvulaceae   |         |
| <i>Cordylanthus tenuis</i> ssp. <i>viscidus</i>          | sticky birdsbeak          | Scrophulariaceae |         |
| <i>Crocidium multicaule</i>                              | spring gold               | Asteraceae       |         |
| <i>Cypripedium californicum</i>                          | California lady's slipper | Orchidaceae      | fen/wet |
| <i>Darlingtonia californica</i>                          | California pitcher plant  | Sarraceniaceae   | fen/wet |
| <i>Darmera peltata</i>                                   | Indian rhubarb            | Saxifragaceae    | fen/wet |
| <i>Delphinium nuttallianum</i>                           | upland larkspur           | Ranunculaceae    |         |
| <i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>     | bluedicks                 | Liliaceae        |         |
| <i>Dichelostemma congestum</i>                           | ookow                     | Liliaceae        |         |
| <i>Dodecatheon hendersonii</i>                           | Henderson's shooting star | Primulaceae      |         |
| <i>Dodecatheon pulchellum</i>                            | darkthroat shooting star  | Primulaceae      | fen/wet |
| <i>Downingia bacigalupii</i>                             | Bach's calicoflower       | Campanulaceae    |         |
| <i>Downingia elegans</i>                                 | elegant downingia         | Campanulaceae    |         |
| <i>Drymocallis ashlandica</i>                            | Ashland cinquefoil        | Rosaceae         |         |
| <i>Epilobium brachycarpum</i>                            | tall annual willowherb    | Onagraceae       |         |
| <i>Epilobium minutum</i>                                 | chaparral willowherb      | Onagraceae       |         |
| <b><i>Epilobium oreganum</i></b>                         | Oregon willowherb         | Onagraceae       | fen/wet |
| <i>Epipactis gigantea</i>                                | stream orchid             | Orchidaceae      | fen/wet |
| <i>Erigeron foliosus</i>                                 | leafy aster               | Asteraceae       |         |
| <i>Eriodictyon californicum</i>                          | California yerba santa    | Hydrophyllaceae  |         |
| <i>Eriogonum luteolum</i>                                | wild buckweed             | Polygonaceae     |         |
| <i>Eriogonum nudum</i>                                   | naked buckwheat           | Polygonaceae     |         |
| <i>Eriogonum pendulum</i>                                | Waldo buckwheat           | Polygonaceae     |         |
| <i>Eriogonum vimineum</i>                                | wickerstem buckwheat      | Polygonaceae     |         |
| <i>Eriophyllum lanatum</i> var. <i>integrifolium</i>     | common woolly sunflower   | Asteraceae       |         |
| <i>Erodium cicutarium</i>                                | red-stemmed filaree       | Geraniaceae      |         |
| <i>Erysimum capitatum</i>                                | Douglas' wallflower       | Brassicaceae     |         |
| <i>Erythronium citrinum</i>                              | cream fawnlily            | Liliaceae        |         |
| <i>Eschscholzia californica</i>                          | California poppy          | Papaveraceae     |         |
| <i>Euphorbia crenulata</i>                               | western wood spurge       | Euphorbiaceae    |         |

**Plant Species List**  
**Eight Dollar Mt. Vicinity**

Sensitive species in bold.

\* Alien / non-native

| Scientific Name  | Common name                 | Family        | Habitat |
|--|-----------------------------|---------------|---------|
| <i>Fragaria vesca</i>                                    | woodland strawberry         | Rosaceae      |         |
| <i>Fritillaria affinis</i>                               | checker lily                | Liliaceae     |         |
| <i>Fritillaria glauca</i>                                | Siskiyou fritillary         | Liliaceae     |         |
| <i>Galium ambiguum</i> ssp. <i>siskiyouense</i>          | Siskiyou bedstraw           | Rubiaceae     |         |
| <i>Galium aparine</i>                                    | cleavers                    | Rubiaceae     |         |
| <i>Galium porrigens</i>                                  | graceful bedstraw           | Rubiaceae     |         |
| <b><i>Gentana setigera</i></b>                           | Mendocino gentian           | Gentianaceae  | fen/wet |
| <i>Gilia capitata</i>                                    | bluehead gilia              | Polemoniaceae |         |
| <i>Grindelia nana</i>                                    | Idaho gumweed               | Asteraceae    |         |
| <i>Hastingsia alba</i>                                   | white rushlily              | Liliaceae     | fen/wet |
| <b><i>Hastingsia bracteosa</i> var. <i>bracteosa</i></b> | largeflower rushlily        | Liliaceae     | fen/wet |
| <i>Hastingsia serpenticola</i>                           | Klamath rushlily            | Liliaceae     | fen/wet |
| <i>Helenium bigelovii</i>                                | Bigelow's sneezeweed        | Asteraceae    | fen/wet |
| <i>Helenium puberulum</i>                                | rosilla                     | Asteraceae    |         |
| <i>Hieracium albiflorum</i>                              | white hawkweed              | Asteraceae    |         |
| <i>Hieracium bolanderi</i>                               | Bolander's hawkweed         | Asteraceae    |         |
| <i>Hieracium scouleri</i>                                | Scouler's woollyweed        | Asteraceae    |         |
| <i>Horkelia congesta</i>                                 | Josephine horkelia          | Rosaceae      |         |
| <i>Horkelia sericata</i>                                 | silky horkelia              | Rosaceae      |         |
| <i>Hypericum anagalloides</i>                            | tinker's penny              | Hypericaceae  | fen/wet |
| * <i>Hypericum perforatum</i>                            | common St. Johnswort        | Hypericaceae  |         |
| * <i>Hypochaeris radicata</i>                            | hairy cat's ear             | Asteraceae    |         |
| <i>Iris bracteata</i>                                    | Siskiyou iris               | Iridaceae     |         |
| <i>Iris chrysophylla</i>                                 | yellowleaf iris             | Iridaceae     |         |
| <i>Iris innominata</i>                                   | golden iris                 | Iridaceae     |         |
| <i>Lathyrus delnorticus</i>                              | Del Norte pea               | Fabaceae      |         |
| <i>Lathyrus nevadensis</i>                               | Sierra pea                  | Fabaceae      |         |
| <i>Lathyrus polyphyllus</i>                              | leafy peavine               | Fabaceae      |         |
| <i>Lathyrus sulphureus</i>                               | snub pea                    | Fabaceae      |         |
| <i>Lewisia oppositifolia</i>                             | opposite leaved lewisia     | Portulacaceae |         |
| <i>Lilium bolanderi</i>                                  | Bolander's lily             | Liliaceae     |         |
| <i>Lilium pardalinum</i> ssp. <i>vollmeri</i>            | Vollmer's lily              | Liliaceae     | fen/wet |
| <i>Linum bienne</i>                                      | narrow leaved flax          | Linaceae      |         |
| <i>Lithophragma affine</i>                               | San Francisco woodland-star | Saxifragaceae |         |
| <i>Lithophragma parviflorum</i>                          | smallflower woodland-star   | Saxifragaceae |         |
| <i>Lithospermum californicum</i>                         | gromwell                    | Boraginaceae  |         |
| <i>Lithospermum ruderale</i>                             | western gromwell            | Boraginaceae  |         |
| <i>Lomatium howellii</i>                                 | Howell's biscuitroot        | Apiaceae      |         |
| <i>Lomatium macrocarpum</i>                              | bigseed biscuitroot         | Apiaceae      |         |
| <i>Lomatium nudicaule</i>                                | barestem biscuitroot        | Apiaceae      |         |
| <i>Lomatium triternatum</i>                              | nineleaf biscuitroot        | Apiaceae      |         |
| <i>Lotus corniculatus</i>                                | birdsfoot trefoil           | Fabaceae      |         |
| <i>Lotus denticulatus</i>                                | meadow lotus                | Fabaceae      |         |
| <i>Lotus formosissimus</i>                               | seaside bird's-foot trefoil | Fabaceae      |         |
| <i>Lotus (pinnatus?)</i>                                 | meadow bird's-foot trefoil  | Fabaceae      |         |
| <i>Lotus purshianus</i> var. <i>purshianus</i>           | Pursh's lotus               | Fabaceae      |         |
| <i>Lupinus bicolor</i>                                   | miniature lupin             | Fabaceae      |         |
| <i>Lupinus onustus</i>                                   | Plumas lupine               | Fabaceae      |         |
| <i>Madia exigua</i>                                      | small tarweed               | Asteraceae    |         |
| <i>Madia gracilis</i>                                    | slender tarweed             | Asteraceae    |         |

**Plant Species List**  
**Eight Dollar Mt. Vicinity**

Sensitive species in bold.

\* Alien / non-native

| Scientific Name  | Common name                | Family           | Habitat |
|--|----------------------------|------------------|---------|
| <i>Madia minima</i>                                    | opposite leaved tarweed    | Asteraceae       |         |
| <i>Mellilotus albus</i>                                | white sweetclover          | Fabaceae         |         |
| * <i>Mentha pulegium</i>                               | pennyroyal                 | Lamiaceae        |         |
| <b><i>Microseris howellii</i></b>                      | Howell's microseris        | Asteraceae       |         |
| <i>Mimulus guttatus</i>                                | seep monkeyflower          | Scrophulariaceae |         |
| <i>Minuartia douglasii</i>                             | Douglas' stitchwort        | Caryophyllaceae  |         |
| <i>Moehringia (Arenaria) macrophylla</i>               | bigleaf sandwort           | Caryophyllaceae  |         |
| <i>Monardella odoratissima</i>                         | mountain monardella        | Lamiaceae        |         |
| <i>Monardella villosa</i> ssp. <i>sheltonii</i>        | shaggy coyote mint         | Lamiaceae        |         |
| <i>Narthecium californicum</i>                         | California bog asphodel    | Liliaceae        | fen/wet |
| <i>Navarretia intertexta</i>                           | needleleaf navarretia      | Polemoniaceae    |         |
| <i>Orobanche fasciculata</i>                           | clustered broomrape        | Orobanchaceae    |         |
| <i>Orobanche uniflora</i>                              | oneflowered broomrape      | Orobanchaceae    |         |
| <i>Orthocarpus bracteosus</i>                          | rosy owl clover            | Scrophulariaceae |         |
| <i>Packera (Senecio) canus</i>                         | wooley groundsel           | Asteraceae       |         |
| <i>Packera (Senecio) hesperia</i>                      | Siskiyou butterweed        | Asteraceae       |         |
| <i>Packera (Senecio) integerrimus</i>                  | lambstongue ragwort        | Asteraceae       |         |
| <i>Parnassia californica</i>                           | Calif. grass-of-parnassia  | Saxifragaceae    | fen/wet |
| <i>Penstemon roezlii</i>                               | Roetzl's penstemon         | Scrophulariaceae |         |
| <b><i>Perideridia erythrorhiza</i></b>                 | red root yampah            | Apiaceae         |         |
| <i>Perideridia oregana.</i>                            | Oregon yampah              | Apiaceae         |         |
| <i>Phacelia corymbosa</i>                              | serpentine phacelia        | Hydrophyllaceae  |         |
| <i>Phacelia hastata</i> var. <i>compacta</i>           | compact phacelia           | Hydrophyllaceae  |         |
| <i>Phlox diffusa</i>                                   | spreading phlox            | Polemoniaceae    |         |
| <i>Phlox gracilis</i>                                  | slender phlox              | Polemoniaceae    |         |
| <i>Phlox speciosa</i>                                  | showy phlox                | Polemoniaceae    | fen/wet |
| <i>Pinguicula vulgaris</i>                             | common butterwort          | Lentibulariaceae |         |
| <i>Piperia unalascensis</i>                            | Alaska rein orchid         | Orchidaceae      | fen/wet |
| <i>Plagiobothrys nothofulvus</i>                       | rusty popcornflower        | Boraginaceae     |         |
| <i>Platanthera dilatata</i>                            | white bog-orchid           | Orchidaceae      | fen/wet |
| <i>Platanthera sparsiflora</i> var. <i>sparsiflora</i> | sparse-flowered bog orchid | Orchidaceae      | fen/wet |
| <i>Plectritis congesta</i>                             | shortspur seablush         | Valerianaceae    |         |
| <i>Polygala californica</i>                            | California milkwort        | Polygalaceae     |         |
| <i>Potentilla gracilis</i>                             | slender cinquefoil         | Rosaceae         |         |
| <i>Porsartes (Disporum) hookeri</i>                    | Hooker's fairybells        | Liliaceae        |         |
| <i>Prunella vulgaris</i>                               | common selfheal            | Lamiaceae        |         |
| <i>Pyrola picta</i>                                    | white vein pyrola          | Ericaceae        |         |
| <i>Pyrrocoma racemosa</i> var. <i>congesta</i>         | clustered goldenweed       | Asteraceae       |         |
| <i>Ranunculus occidentalis</i>                         | western buttercup          | Ranunculaceae    |         |
| * <i>Raphanus sativus</i>                              | radish                     | Brassicaceae     |         |
| <i>Rudbeckia glaucescens (californica)</i>             | California coneflower      | Asteraceae       | fen/wet |
| * <i>Rumex crispus</i>                                 | curly dock                 | Polygonaceae     |         |
| <i>Sanguisorba officinalis</i>                         | official burnet            | Rosaceae         |         |
| <i>Sanicula bipinnatifida</i>                          | purple sanicle             | Apiaceae         |         |
| <i>Sanicula graveolens</i>                             | Sierra sanicle             | Apiaceae         |         |
| <i>Saxifraga howellii</i>                              | Howell's saxifrage         | Saxifragaceae    |         |
| <i>Saxifraga integrifolia</i>                          | smooth leaf saxifrage      | Saxifragaceae    |         |
| <i>Scutellaria antirrhinoides</i>                      | nose skullcap              | Lamiaceae        |         |
| <i>Sedum laxum</i> ssp. <i>laxum</i>                   | rose flowered stonecrop    | Crassulaceae     |         |
| <i>Sidalcea malviflora</i>                             | dwarf checkerbloom         | Malvaceae        |         |

**Plant Species List**  
**Eight Dollar Mt. Vicinity**

Sensitive species in bold.

\* Alien / non-native

|                                       | Scientific Name   | Common name               | Family           | Habitat |
|---------------------------------------|---|---------------------------|------------------|---------|
|                                       | <i>Silene campanulata</i>   | Red Mountain catchfly     | Caryophyllaceae  |         |
|                                       | <i>Silene hookeri</i> ssp. <i>hookeri</i>   | Hooker's pink             | Caryophyllaceae  |         |
|                                       | <i>Sisyrinchium bellum</i>  | western blue-eyed grass   | Iridaceae        |         |
|                                       | <i>Solidago velutina</i>  | California goldenrod      | Asteraceae       |         |
|                                       | <i>Spiranthes porrifolia</i>  | creamy ladies'-tresses    | Orchidaceae      |         |
|                                       | <i>Stachys rigida</i> ( <i>ajugoides</i> )  | rigid hedgenettle         | Lamiaceae        |         |
|                                       | <b><i>Streptanthus howellii</i></b>   | Howell's jewel flower     | Brassicaceae     |         |
|                                       | <i>Symphoricarpos spatulatum</i> var. <i>intermedium</i><br>( <i>aster occidentalis</i> ) | western mountain aster    | Asteraceae       |         |
|                                       | <i>Tauschia glauca</i>  | glaucous tauschia         | Apiaceae         |         |
|                                       | <i>Thlaspi montanum</i> var. <i>siskiyouense</i>  | Siskiyou pennycress       | Brassicaceae     |         |
|                                       | <i>Triantha occidentalis</i> ssp. <i>occidentalis</i>                                     | western tofieldia         | Liliaceae        | fen/wet |
|                                       | <i>Trientalis latifolia</i>   | western starflower        | Primulaceae      |         |
|                                       | <i>Trifolium eriocephalum</i> ssp. <i>eriocephalum</i>                                    | woolly head clover        | Fabaceae         |         |
|                                       | <i>Trifolium subterraneum</i>   | subterranean clover       | Fabaceae         |         |
|                                       | <i>Trillium rivale</i>  | stream trillium           | Liliaceae        |         |
|                                       | <i>Triteleia hyacinthina</i>  | white brodiaea            | Liliaceae        |         |
|                                       | * <i>Verbascum blattaria</i>  | moth mullein              | Scrophulariaceae |         |
|                                       | <i>Veronica persica</i>   | persian speedwell         | Scrophulariaceae |         |
|                                       | <i>Vicia americana</i> var. <i>americana</i>  | American vetch            | Fabaceae         |         |
|                                       | * <i>Vinca major</i>  | bigleaf periwinkle        | Apocynaceae      |         |
|                                       | <i>Viola adunca</i>   | hookedspur violet         | Violaceae        |         |
|                                       | <i>Viola cuneata</i>  | wedgeleaf violet          | Violaceae        |         |
|                                       | <i>Viola hallii</i>   | Oregon violet             | Violaceae        |         |
|                                       | <b><i>Viola primulifolia</i> ssp. <i>occidentalis</i></b>                                 | western bog violet        | Violaceae        | fen/wet |
|                                       | <i>Viola lobata</i> ssp. <i>integrifolia</i>  | northern pine violet      | Violaceae        |         |
|                                       | <i>Viola lobata</i> ssp. <i>lobata</i>  | pine violet               | Violaceae        |         |
|                                       | <i>Viola ocellata</i>   | pinto violet              | Violaceae        |         |
|                                       | <i>Vitis californica</i>  | California wild grape     | Vitaceae         |         |
|                                       | <i>Wyethia angustifolia</i>   | arrow leaved mule ears    | Asteraceae       |         |
|                                       | <i>Xerophyllum tenax</i>  | beargrass                 | Liliaceae        |         |
|                                       | <i>Zigadenus venenosus</i>  | meadow deathcamas         | Liliaceae        |         |
| <b>Grasses,<br/>Sedges<br/>Rushes</b> | <i>Achnatherum (Stipa) lemmonii</i>   | Lemmon's needlegrass      | Poaceae          |         |
|                                       | <i>Agrostis exarata</i>   | spike bentgrass           | Poaceae          | fen/wet |
|                                       | <i>Aira caryophylla</i>   | silver hairgrass          | Poaceae          |         |
|                                       | * <i>Avena fatua</i>  | wild oats                 | Poaceae          |         |
|                                       | * <i>Bromus carinatus</i> var. <i>marginatus</i>  | bordered California brome | Poaceae          |         |
|                                       | * <i>Bromus diandrus</i>  | ripgut brome              | Poaceae          |         |
|                                       | * <i>Bromus hordeaceus (mollis)</i>   | soft brome                | Poaceae          |         |
|                                       | <i>Bromus laevipes</i>  | Chinook brome             | Poaceae          |         |
|                                       | <i>Bromus tectorum</i>  | cheatgrass brome          | Poaceae          |         |
|                                       | <i>Calamagrostis nutkaensis</i>   | Pacific reedgrass         | Poaceae          |         |
|                                       | <i>Carex aurea</i>  | golden sedge              | Cyperaceae       | fen/wet |
|                                       | <i>Carex concinoides</i>  | northwestern sedge        | Cyperaceae       | fen/wet |
|                                       | <i>Carex echinata</i> ssp. <i>echinata</i>  | western stellate sedge    | Cyperaceae       |         |
|                                       | <i>Carex echinata</i> ssp. <i>phyllomanica</i>  | coastal stellate sedge    | Cyperaceae       | fen/wet |
|                                       | <i>Carex interrupta</i>   | green fruited sedge       | Cyperaceae       | fen/wet |
|                                       | <i>Carex luzulina</i>   | woodrush sedge            | Cyperaceae       | fen/wet |
|                                       | <i>Carex mendocinensis</i>  | Mendocino sedge           | Cyperaceae       | fen/wet |
|                                       | <i>Carex nudata</i>   | torrent sedge             | Cyperaceae       | fen/wet |
|                                       | <i>Carex obnupta</i>  | slough sedge              | Cyperaceae       | fen/wet |

**Plant Species List**  
**Eight Dollar Mt. Vicinity**

Sensitive species in bold.

\* Alien / non-native

|                         | Scientific Name  | Common name                | Family        | Habitat |
|-------------------------|--|----------------------------|---------------|---------|
|                         | <i>Carex pellita</i>                                     | woolly sedge               | Cyperaceae    | fen/wet |
|                         | <i>Carex serpenticola</i>                                | serpentine carex           | Cyperaceae    | fen/wet |
|                         | <i>Carex utriculatum</i>                                 | shore sedge                | Cyperaceae    |         |
|                         | * <i>Cynosurus echinatus</i>                             | hedgehog dogtail           | Poaceae       |         |
|                         | <i>Danthonia californica</i>                             | California oatgrass        | Poaceae       |         |
|                         | <i>Deschampsia caespitosa</i>                            | tufted hairgrass           | Poaceae       |         |
|                         | <i>Deschampsia elongata</i>                              | slender hairgrass          | Poaceae       |         |
|                         | <i>Dichantherium acuminatum</i> var. <i>fasciculatum</i> | tapered rosette grass      | Poaceae       |         |
|                         | <i>Eleocharis aicularis</i>                              | needle spikerush           | Cyperaceae    | fen/wet |
|                         | <i>Eleocharis parishii</i>                               | Parish's spikerush         | Cyperaceae    |         |
|                         | <i>Eleocharis quinqueflora</i>                           | fewflowered spikerush      | Cyperaceae    | fen/wet |
|                         | <i>Elymus elymoides</i>                                  | squirreltail               | Poaceae       | fen/wet |
|                         | <i>Elymus glaucus</i>                                    | blue wildrye               | Poaceae       |         |
|                         | <i>Elymus trachycaulus</i> ssp. <i>trachycaulus</i>      | slender wheatgrass         | Poaceae       |         |
|                         | <i>Equisetum hyemale</i> var. <i>affine</i>              | common scouring rush       | Equisetaceae  | fen/wet |
|                         | <i>Equisetum telmateria</i> var. <i>braunii</i>          | giant horsetail            | Equisetaceae  | fen/wet |
|                         | <i>Eriophorum cringerum</i>                              | fringed cottongrass        | Cyperaceae    | fen/wet |
|                         | <i>Festuca californica</i>                               | California fescue          | Poaceae       |         |
|                         | <i>Festuca idahoensis</i>                                | Idaho fescue               | Poaceae       |         |
|                         | <i>Festuca occidentalis</i>                              | western fescue             | Poaceae       |         |
|                         | <i>Festuca roemerii</i> var. <i>klamathensis</i>         | Klamath fescue             | Poaceae       |         |
|                         | <i>Festuca rubra</i> ssp. <i>commutata</i>               | Chewings red fescue        | Poaceae       |         |
|                         | * <i>Gastridium phleoides</i>                            | nitgrass                   | Poaceae       |         |
|                         | * <i>Hordeum brachyantherum</i>                          | mouse barley               | Poaceae       |         |
|                         | <i>Juncus balticus</i>                                   | Baltic rush                | Juncaceae     |         |
|                         | <i>Juncus orthophyllus</i>                               | straight leaved rush       | Juncaceae     | fen/wet |
|                         | <i>Koeleria macrantha</i>                                | prairie junegrass          | Poaceae       | fen/wet |
|                         | <i>Luzula campestris</i>                                 | field woodrush             | Juncaceae     |         |
|                         | <i>Luzula comosa</i>                                     | woodrush                   | Juncaceae     |         |
|                         | <i>Melica geyeri</i>                                     | Geyer's oniongrass         | Poaceae       |         |
|                         | <i>Panicum capillare</i>                                 | witchgrass                 | Poaceae       |         |
|                         | <i>Phalaris arundinacea</i>                              | reed canarygrass           | Poaceae       |         |
|                         | <i>Poa secunda</i> ssp. <i>secunda</i>                   | one sided bluegrass        | Poaceae       |         |
|                         | <i>Polypogon interruptus</i>                             | ditch rabbitsfoot grass    | Poaceae       |         |
|                         | * <i>Schedonorus arundinaceus</i>                        | tall fescue                | Poaceae       |         |
|                         | <i>Scirpus congdonii</i>                                 | Congdon's bulrush          | Cyperaceae    | fen/wet |
|                         | <i>Scirpus pendulus</i>                                  | rufous bulrush             | Cyperaceae    |         |
|                         | <i>Trisetum canescens</i>                                | tall trisetum              | Poaceae       |         |
|                         | <i>Vulpia microstachys</i>                               | small fescue               | Poaceae       |         |
|                         | * <i>Vulpia myuros</i>                                   | rat tail fescue            | Poaceae       |         |
| <b>Shrubs and Vines</b> | <i>Amelanchier alnifolia</i>                             | Saskatoon serviceberry     | Rosaceae      |         |
|                         | <i>Arctostaphylos nevadensis</i>                         | pinemat manzanita          | Ericaceae     |         |
|                         | <i>Arctostaphylos viscida</i>                            | sticky whiteleaf manzanita | Ericaceae     |         |
|                         | <i>Berberis piperiana</i>                                | Piper's barberry           | Berberidaceae |         |
|                         | <i>Berberis pumila</i>                                   | pgymy Oregon grape         | Berberidaceae |         |
|                         | <i>Berberis repens</i>                                   | creeping Oregon grape      | Berberidaceae |         |
|                         | <i>Ceanothus cuneatus</i>                                | buckbrush                  | Rhamnaceae    |         |
|                         | <i>Ceanothus cuneatus</i> X <i>pumilus</i>               | ceanothus hybrid           | Rhamnaceae    |         |
|                         | <i>Ceanothus intergerrimus</i>                           | deer brush                 | Rhamnaceae    |         |
|                         | <i>Ceanothus pumilus</i>                                 | dwarf ceanothus            | Rhamnaceae    |         |

Sensitive species in bold.

\* Alien / non-native

|              | Scientific Name                                     | Common name                                    | Family          | Habitat |
|--------------|---|--|-----------------|---------|
|              | <i>Cercocarpus betuloides</i>                       | birchleaf mountain-mahogany                    | Rosaceae        |         |
|              | <i>Cornus nuttallii</i>                             | Pacific dogwood                                | Cornaceae       |         |
|              | <i>Eriodictyon californicum</i>                     | California yerba santa                         | Hydrophyllaceae |         |
|              | <i>Garrya buxifolia</i>                             | box leaved garrya                              | Garryaceae      |         |
|              | <i>Garrya fremontii</i>                             | Fremont's silk tassel                          | Garryaceae      |         |
|              | <i>Holodiscus discolor</i>                          | oceanspray                                     | Rosaceae        |         |
|              | <i>Lonicera ciliosa</i>                             | orange honeysuckle                             | Caprifoliaceae  |         |
|              | <i>Lonicera hispidula</i>                           | hairy honeysuckle                              | Caprifoliaceae  |         |
|              | <i>Marah oreganus</i>                               | western wild cucumber                          | Cucurbitaceae   |         |
|              | <i>Myrica californica</i>                           | Pacifica wax myrtle                            | Myricaceae      |         |
|              | <i>Notholithocarpus (Lithocarpus) densiflorus</i>   | tanoak   | Fagaceae        |         |
|              | <i>Physocarpus capitatus</i>                        | Pacific ninebark                               | Rosaceae        |         |
|              | <i>Prunus emarginata</i> var. <i>emarginata</i>     | bitter cherry                                  | Rosaceae        |         |
|              | <i>Prunus virginiana</i> var. <i>demissa</i>        | western chokecherry                            | Rosaceae        |         |
|              | <i>Quercus chrysolepis</i>                          | canyon live oak                                | Fagaceae        |         |
|              | <i>Quercus garryana</i> var. <i>breweri</i>         | Oregon white oak                               | Fagaceae        |         |
|              | <i>Quercus vaccinifolia</i>                         | huckleberry oak                                | Fagaceae        |         |
|              | <i>Rhamnus californica</i> ssp. <i>occidentalis</i> | California coffeeberry                         | Rhamnaceae      |         |
|              | <i>Ribes roezlii</i> var. <i>cruentum</i>           | shiny leaf gooseberry                          | Grossulariaceae |         |
|              | <i>Rhododendron occidentale</i>                     | western azalea                                 | Ericaceae       | fen/wet |
|              | <i>Rosa gymnocarpa</i>                              | dwarf rose                                     | Rosaceae        |         |
|              | * <i>Rubus armeniacus</i> ( <i>discolor</i> )       | Himalayan blackberry                           | Rosaceae        |         |
|              | <i>Rubus ursinus</i>                                | Pacific blackberry                             | Rosaceae        |         |
|              | <i>Salix exigua</i>                                 | narrowleaf willow                              | Salicaceae      |         |
|              | <i>Salix lasiolepis</i>                             | arroyo willow                                  | Salicaceae      |         |
|              | <i>Salix x delnortensis</i>                         | Del Norte willow hybrid ( <i>lasiolepis</i> ?) | Salicaceae      |         |
|              | <i>Satureja douglassii</i>                          | yerba buena                                    | Lamiaceae       |         |
|              | <i>Smilax californica</i>                           | California greenbrier                          | Liliaceae       |         |
|              | <i>Spiraea douglasii</i> var. <i>douglasii</i>      | Douglas'spirea                                 | Rosaceae        | fen/wet |
|              | <i>Spiraea splendens</i> var. <i>splendens</i>      | rose meadowsweet                               | Rosaceae        |         |
|              | <i>Toxicodendron diversilobum</i>                   | Pacific poison oak                             | Anacardiaceae   |         |
|              | * <i>Vinca major</i>                                | periwinkle                                     | Apocynaceae     |         |
|              | <i>Vitis californica</i>                            | California wild grape                          | Vitaceae        |         |
|              | <i>Whipplea modesta</i>                             | yerba de selva                                 | Philadelphaceae |         |
| <b>Trees</b> | <i>Alnus incana</i> ssp. <i>tenuifolia</i>          | thinleaf alder                                 | Betulaceae      |         |
|              | <i>Alnus rhombifolia</i>                            | white alder                                    | Betulaceae      |         |
|              | <i>Arbutus menziesii</i>                            | Pacific madrone                                | Ericaceae       |         |
|              | <i>Calocedrus decurrens</i>                         | incense cedar                                  | Cupressaceae    |         |
|              | <i>Chamaecyparis lawsoniana</i>                     | Port Orford cedar                              | Cupressaceae    |         |
|              | <i>Fraxinus latifolia</i>                           | Oregon ash                                     | Oleoaceae       |         |
|              | <i>Notholithocarpus (Lithocarpus) densiflorus</i>   | tanoak   | Fagaceae        |         |
|              | <i>Pinus attenuata</i>                              | knobcone pine                                  | Pinaceae        |         |
|              | <i>Pinus jeffreyi</i>                               | Jeffrey pine                                   | Pinaceae        |         |
|              | <i>Pinus lambertiana</i>                            | sugar pine                                     | Pinaceae        |         |
|              | <i>Pinus monticola</i>                              | western white pine                             | Pinaceae        |         |
|              | <i>Pinus ponderosa</i>                              | ponderosa pine                                 | Pinaceae        |         |
|              | <i>Pseudotsuga menziesii</i>                        | Douglas-fir                                    | Pinaceae        |         |
|              | <i>Quercus chrysolepis</i>                          | canyon live oak                                | Fagaceae        |         |
|              | <i>Quercus garryana</i>                             | Oregon white oak                               | Fagaceae        |         |
|              | <i>Quercus kelloggii</i>                            | California black oak                           | Fagaceae        |         |

**Plant Species List**  
**Eight Dollar Mt. Vicinity**

Sensitive species in bold.

\* Alien / non-native

| <b>Scientific Name</b>          | <b>Common name</b> | <b>Family</b> | <b>Habitat</b> |
|---------------------------------|--------------------|---------------|----------------|
| <i>Umbellularia californica</i> | California laurel  | Lauraceae     |                |

Volunteer Project Linda Mullens, Norm Jensen

Ongoing compilation from the following sources: Norm Jensen's list;

BLM ACEC Plant List for 8 \$ Mt. Sec 28; \$8 Mt. &amp; Josephine Creek List by Frank Lang;

Donald Heinze's Plants of Eight Dollar Mountain; RRSNF Ecology plot data;

OR Atlas Project; Deer Creek Center info.